

---

## Subject Bibliography on Artificial Intelligence

---

### Top 25 highly cited articles:

1. Arjovsky, M., Chintala, S., & Bottou, L. (2017). Wasserstein generative adversarial networks. *34th International Conference on Machine Learning, ICML 2017*, <http://proceedings.mlr.press/v70/arjovsky17a/arjovsky17a.pdf>
2. Ashburner, J. (2007). A fast diffeomorphic image registration algorithm. *NeuroImage*, 38(1), 95-113. <https://doi.org/10.1016/j.neuroimage.2007.07.007>
3. Brendan McMahan, H., Moore, E., Ramage, D., Hampson, S., & Agüera y Arcas, B. (2017). Communication-efficient learning of deep networks from decentralized data. *Proceedings of the 20th International Conference on Artificial Intelligence and Statistics, AISTATS 2017*, <https://proceedings.mlr.press/v54/mcmahan17a/mcmahan17a.pdf>
4. Canny, J. (1986). A Computational Approach to Edge Detection . *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-8(6), 679-698. <https://doi.org/10.1109/TPAMI.1986.4767851>
5. Eberhart, R., & Kennedy, J. (1995). New optimizer using particle swarm theory. *Proceedings of the International Symposium on Micro Machine and Human Science*, [10.1109/MHS.1995.494215](https://doi.org/10.1109/MHS.1995.494215)
6. Felzenszwalb, P. F., Girshick, R. B., McAllester, D., & Ramanan, D. (2010). Object detection with discriminatively trained part-based models . *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 32(9), 1627-1645, <https://doi.org/10.1109/TPAMI.2009.167>
7. Glorot, X., & Bengio, Y. (2010). Understanding the difficulty of training deep feedforward neural networks. *Journal of Machine Learning Research*, <https://proceedings.mlr.press/v9/glorot10a/glorot10a.pdf>
8. Ioffe, S., & Szegedy, C. (2015). Batch normalization: Accelerating deep network training by reducing internal covariate shift. *32nd International Conference on Machine Learning, ICML 2015*, <https://doi.org/10.48550/arXiv.1502.03167>
9. Joachims, T. (1998). Text categorization with support vector machines: Learning with many relevant features. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, <https://doi.org/10.1007/BFb0026683>

10. Karaboga, D., & Basturk, B. (2007). A powerful and efficient algorithm for numerical function optimization: Artificial bee colony (ABC) algorithm . *Journal of Global Optimization*, 39(3), 459-471. <https://doi.org/10.1007/s10898-007-9149-x>
11. Kohavi, R. (1995). A Study of Cross-Validation and Bootstrap for Accuracy Estimation and Model Selection. *IJCAI International Joint Conference on Artificial Intelligence*, <https://www.ijcai.org/Proceedings/95-2/Papers/016.pdf>
12. Kschischang, F. R., Frey, B. J., & Loeliger, H. A. (2001). Factor graphs and the sum-product algorithm. *IEEE Transactions on Information Theory*, 47(2), 498-519. <https://doi.org/10.1109/18.910572>
13. Mitola Iii, J., & Maguire Jr, G. Q. (1999). Cognitive radio: making software radios more personal. *IEEE Personal Communications*, 6(4), 13-18. <https://doi.org/10.1109/98.788210>
14. Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A. A., Veness, J., Bellemare, M. G., Graves, A., Riedmiller, M., Fidjeland, A. K., Ostrovski, G., Petersen, S., Beattie, C., Sadik, A., Antonoglou, I., King, H., Kumaran, D., Wierstra, D., Legg, S., & Hassabis, D. (2015). Human-level control through deep reinforcement learning . *Nature*, 518(7540), 529-533. <https://doi.org/10.1038/nature14236>
15. Pawlak, Z. (1982). Rough sets . *International Journal of Computer & Information Sciences*, 11(5), 341-356. <https://doi.org/10.1007/BF01001956>
16. Peng, H., Long, F., & Ding, C. (2005). Feature selection based on mutual information: Criteria of Max-Dependency, Max-Relevance, and Min-Redundancy. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 27(8), 1226-1238. <https://doi.org/10.1109/TPAMI.2005.159>
17. Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "Why should i trust you?" Explaining the predictions of any classifier. *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, <https://www.kdd.org/kdd2016/papers/files/rfp0573-ribeiroA.pdf>
18. Roweis, S. T., & Saul, L. K. (2000). Nonlinear dimensionality reduction by locally linear embedding. *Science*, 290(5500), 2323-2326. <https://doi.org/10.1126/science.290.5500.2323>
19. Shi, X., Chen, Z., Wang, H., Yeung, D. Y., Wong, W. K., & Woo, W. C. (2015). Convolutional LSTM network: A machine learning approach for precipitation nowcasting. *Advances in Neural Information Processing Systems*, [https://proceedings.neurips.cc/paper\\_files/paper/2015/file/07563a3fe3bbe7e3ba84431ad9d055af-Paper.pdf](https://proceedings.neurips.cc/paper_files/paper/2015/file/07563a3fe3bbe7e3ba84431ad9d055af-Paper.pdf)

20. Silver, D., Huang, A., Maddison, C. J., Guez, A., Sifre, L., Van Den Driessche, G., Schrittwieser, J., Antonoglou, I., Panneershelvam, V., Lanctot, M., Dieleman, S., Grewe, D., Nham, J., Kalchbrenner, N., Sutskever, I., Lillicrap, T., Leach, M., Kavukcuoglu, K., Graepel, T., & Hassabis, D. (2016). Mastering the game of Go with deep neural networks and tree search . *Nature*, 529(7587), 484-489. <https://doi.org/10.1038/nature16961>
21. Szegedy, C., Ioffe, S., Vanhoucke, V., & Alemi, A. A. (2017). Inception-v4, inception-ResNet and the impact of residual connections on learning. *31st AAAI Conference on Artificial Intelligence, AAAI 2017*, <https://doi.org/10.48550/arXiv.1602.07261>
22. Tenenbaum, J. B., De Silva, V., & Langford, J. C. (2000). A global geometric framework for nonlinear dimensionality reduction. *Science*, 290 (5500), 2319-2323. <https://doi.org/10.1126/science.290.5500.2319>
23. Xu, K., Ba, J. L., Kiros, R., Cho, K., Courville, A., Salakhutdinov, R., Zemel, R. S., & Bengio, Y. (2015). Show, attend and tell: Neural image caption generation with visual attention. *32nd International Conference on Machine Learning, ICML 2015*, <https://doi.org/10.48550/arXiv.1502.03044>
24. Zadeh, L. A. (1973). Outline of a New Approach to the Analysis of Complex Systems and Decision Processes. *IEEE Transactions on Systems, Man and Cybernetics*, SMC-3(1), 28-44. <https://doi.org/10.1109/TSMC.1973.5408575>
25. Zadeh, L. A. (1975). The concept of a linguistic variable and its application to approximate reasoning-I. *Information Sciences*, 8(3), 199-249. [https://doi.org/10.1016/0020-0255\(75\)90036-5](https://doi.org/10.1016/0020-0255(75)90036-5)

### **Top 20 highly cited gold open access articles:**

1. Adadi, A., & Berrada, M. (2018). Peeking Inside the Black-Box: A Survey on Explainable Artificial Intelligence (XAI) .*IEEE Access*, 6, 52138-52160. <https://doi.org/10.1109/ACCESS.2018.2870052>
2. Bateman, A., Martin, M. J., Orchard, S., Magrane, M., Ahmad, S., Alpi, E., Bowler-Barnett, E. H., Britto, R., Bye-A-Jee, H., Cukura, A., Denny, P., Dogan, T., Ebenezer, T., Fan, J., Garmiri, P., da Costa Gonzales, L. J., Hatton-Ellis, E., Hussein, A., Ignatchenko, A., Zhang, J. (2023). UniProt : the Universal Protein Knowledgebase in 2023. *Nucleic Acids Research*, 51(D1), D523-D531. <https://doi.org/10.1093/nar/gkac1052>
3. Carmena, J. M., Lebedev, M. A., Crist, R. E., O'Doherty, J. E., Santucci, D. M., Dimitrov, D. F., Patil, P. G., Henriquez, C. S., & Nicolelis, M. A. L. (2003). Learning to control a brain-machine interface for reaching and grasping by primates. *PLoS Biology*, 1(2). <https://doi.org/10.1371/journal.pbio.0000042>

4. Chawla, N. V., Bowyer, K. W., Hall, L. O., & Kegelmeyer, W. P. (2002). SMOTE: Synthetic minority over-sampling technique. *Journal of Artificial Intelligence Research*, 16, 321-357. <https://doi.org/10.1613/jair.953>
5. Chen, M., Hao, Y., Hwang, K., Wang, L., & Wang, L. (2017). Disease Prediction by Machine Learning over Big Data from Healthcare Communities . *IEEE Access*, 5, 8869-8879. <https://doi.org/10.1109/ACCESS.2017.2694446>
6. Chmiela, S., Tkatchenko, A., Sauceda, H. E., Poltavsky, I., Schütt, K. T., & Müller, K. R. (2017). Machine learning of accurate energy-conserving molecular force fields . *Science Advances*, 3(5). <https://doi.org/10.1126/sciadv.1603015>
7. Dresner, K., & Stone, P. (2008). A multiagent approach to autonomous intersection management. *Journal of Artificial Intelligence Research*, 31, 591-656. <https://doi.org/10.1613/jair.2502>
8. Erkan, G., & Radev, D. R. (2004). LexRank: Graph-based lexical centrality as salience in text summarization. *Journal of Artificial Intelligence Research*, 22, 457-479. <https://doi.org/10.1613/jair.1523>
9. Fox, M., & Long, D. (2003). PDDL2.1: An extension to PDDL for expressing temporal planning domains. *Journal of Artificial Intelligence Research*, 20, 61-124. <https://doi.org/10.1613/jair.1129>
10. Helmert, M. (2006). The fast downward planning system. *Journal of Artificial Intelligence Research*, 26, 191-246. <https://doi.org/10.1613/jair.1705>
11. Hua, Q., Sun, J., Liu, H., Bao, R., Yu, R., Zhai, J., Pan, C., & Wang, Z. L. (2018). Skin-inspired highly stretchable and conformable matrix networks for multifunctional sensing. *Nature Communications*, 9(1). <https://doi.org/10.1038/s41467-017-02685-9>
12. Karim, F., Majumdar, S., Darabi, H., & Chen, S. (2017). LSTM Fully Convolutional Networks for Time Series Classification . *IEEE Access*, 6, 1662-1669. <https://doi.org/10.1109/ACCESS.2017.2779939>
13. Ker, J., Wang, L., Rao, J., & Lim, T. (2017). Deep Learning Applications in Medical Image Analysis . *IEEE Access*, 6, 9375-9379. <https://doi.org/10.1109/ACCESS.2017.2788044>
14. Rasheed, A., San, O., & Kvamsdal, T. (2020). Digital twin: Values, challenges and enablers from a modeling perspective . *IEEE Access*, 8, 21980-22012. <https://doi.org/10.1109/ACCESS.2020.2970143>
15. Tao, F., & Zhang, M. (2017). Digital Twin Shop-Floor: A New Shop-Floor Paradigm Towards Smart Manufacturing. *IEEE Access*, 5, 20418-20427. <https://doi.org/10.1109/ACCESS.2017.2756069>

16. Varma, S., & Simon, R. (2006). Bias in error estimation when using cross-validation for model selection. *BMC Bioinformatics*, 7. <https://doi.org/10.1186/1471-2105-7-91>
17. Weiss, K., Khoshgoftaar, T. M., & Wang, D. D. (2016). A survey of transfer learning . *Journal of Big Data*, 3(1). <https://doi.org/10.1186/s40537-016-0043-6>
18. Xin, Y., Kong, L., Liu, Z., Chen, Y., Li, Y., Zhu, H., Gao, M., Hou, H., & Wang, C. (2018). Machine Learning and Deep Learning Methods for Cybersecurity. *IEEE Access*, 6, 35365-35381. <https://doi.org/10.1109/ACCESS.2018.2836950>
19. Yang, Z., Zeng, Z., Wang, K., Wong, S. S., Liang, W., Zanin, M., Liu, P., Cao, X., Gao, Z., Mai, Z., Liang, J., Liu, X., Li, S., Li, Y., Ye, F., Guan, W., Yang, Y., Li, F., Luo, S. (2020). Modified SEIR and AI prediction of the epidemics trend of COVID-19 in China under public health interventions. *Journal of Thoracic Disease*, 12(3), 165-174. <https://doi.org/10.21037/jtd.2020.02.64>
20. Yin, C., Zhu, Y., Fei, J., & He, X. (2017). A Deep Learning Approach for Intrusion Detection Using Recurrent Neural Networks. *IEEE Access*, 5, 21954-21961. <https://doi.org/10.1109/ACCESS.2017.2762418>

**Source: Scopus**

**Compiled as on 18<sup>th</sup> June, 2024**